


銅線用絶縁被覆付圧着端子 丸形端子 (RAV形) (RAA形)

JIS JQ0608003

UL E74917

SF 66230



◆ストレート形

RoHS 指令対応品

| 規格 | 呼び | 各部の寸法 | | | | | | | | 標準色 | 適合電線範囲 | | 適合工具 | 一箱入数 |
|----|---------------------------|-----------------|------|-----------------|----------------|----------------|------|----------------|------|-----|-------------------|-------|-------------------------------------------------------------------|-------------------|
| | | φd ₂ | B | φd ₁ | F ₁ | l ₂ | l | L ₁ | 板厚 | | 燃線mm ² | AWG | | |
| | RAV0.08-3 | 3.2 | 5.2 | 2.2 | 5.9 | 9.5 | 12.5 | 18.0 | 0.8 | 黄※ | 0.08 | 28 | DS05N DH-1B | 1,000 (100×10) |
| | RAV0.08-M3.5 | 3.7 | 5.5 | | 7.7 | | 14.5 | 20.0 | | | | | | |
| UL | RAV0.3-2 | 2.2 | 5.2 | 2.2 | 5.9 | 9.5 | 12.5 | 18.0 | 0.65 | 黄※ | 0.1 ∩ 0.3 | 26-24 | *DS05N *DH-1B *DS-A5 PALM-032A | 1,000 (100×10) |
| UL | RAV0.3-3 | 3.2 | | | | | | | | | | | | |
| UL | RAV0.3-3.5 | 3.7 | | | | | | | | | | | | |
| UL | RAV0.3-4 | 4.3 | | | | | | | | | | | | |
| UL | RAV0.5-2 | 2.2 | 5.2 | 2.2 | 5.9 | 9.5 | 12.5 | 18.0 | 0.5 | 黄※ | 0.3 ∩ 0.5 | 22-20 | *DS05N *DH-1B *DS-A5 PALM-032A | 1,000 (100×10) |
| UL | RAV0.5-3 | 3.2 | | | | | | | | | | | | |
| UL | RAV0.5-3.5 | 3.7 | | | | | | | | | | | | |
| UL | RAV0.5-4 | 4.3 | | | | | | | | | | | | |
| UL | RAV0.5-5 | 5.3 | 8.0 | | 7.0 | | 15.0 | 20.5 | | | | | | |
| UL | RAV1.25-2 | 2.5 | 5.5 | 3.3 | 4.8 | 9.5 | 12.0 | 17.0 | 0.8 | 赤※ | 0.5 ∩ 1.65 | 20-16 | *DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A | 500 (100×5) |
| UL | RAV1.25-3 (RAA1.25-3) | | | | | | | | | | | | | |
| UL | RAV1.25-M3 | | | | | | | | | | | | | |
| UL | RAV1.25-N3 | 3.2 | | | | | | | | | | | | |
| UL | RAV1.25-V3 | 6.6 | | | | | | | | | | | | |
| UL | RAV1.25-L3 | 8.0 | | | | | | | | | | | | |
| UL | RAV1.25-S3.5 | | | | | | | | | | | | | |
| UL | RAV1.25-M3.5 | 5.5 | | | | | | | | | | | | |
| UL | RAV1.25-N3.5 | 6.6 | | | | | | | | | | | | |
| UL | RAV1.25-S4 | 4.3 | | | | | | | | | | | | |
| UL | RAV1.25-3.5 (RAA1.25-3.5) | 6.6 | | | | | | | | | | | | |
| UL | RAV1.25-4 (RAA1.25-4) | 4.3 | | | 7.5 | | 15.5 | 20.5 | | | | | | |
| UL | RAV1.25-5 (RAA1.25-5) | 5.3 | 8.0 | | | | 18.5 | 23.5 | | | | | | |
| UL | RAV1.25-L5 | | | | | | 20.2 | 25.2 | | | | | | |
| UL | RAV1.25-6 | 6.4 | 11.5 | | 10.0 | | 21.8 | 26.8 | | | | | | |
| UL | RAV1.25-8 | 8.4 | | | | | 29.5 | 34.5 | | | | | | 300 (100×3) |
| UL | RAV1.25-10 | 10.5 | 13.6 | | 10.5 | | | | | | | | | |
| UL | RAV1.25-A10 | 10.5 | 22.0 | | 14.0 | | | | | | | | | |
| UL | RAV1.25-12 | 13.0 | | | | | | | | | | | | |
| UL | RAV2-3 | | 6.6 | 3.9 | 5.2 | 9.5 | 13.0 | 18.0 | 0.8 | 青※ | 1.04 ∩ 2.63 | 16-14 | *DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A | 500 (100×5) |
| UL | RAV2-M3 | 3.2 | | | | | | | | | | | | |
| UL | RAV2-L3 | | | | | | | | | | | | | |
| UL | RAV2-M3.5 | | | | | | | | | | | | | |
| UL | RAV2-3.5 (RAA2-3.5) | 3.7 | | | | | | | | | | | | |
| UL | RAV2-L3.5 | | | | | | | | | | | | | |
| UL | RAV2-M4 | | | | | | | | | | | | | |
| UL | RAV2-S4 | 4.3 | | | | | | | | | | | | |
| UL | RAV2-4 (RAA2-4) | 8.5 | | | | | | | | | | | | |
| UL | RAV2-S5 | | | | | | | | | | | | | |
| UL | RAV2-5 (RAA2-5) | 5.3 | 9.5 | | 7.8 | | 17.0 | 22.0 | | | | | | |
| UL | RAV2-L5 | | | | | | 21.5 | 26.5 | | | | | | 400 (100×4) |
| UL | RAV2-6 (RAA2-6) | 6.4 | 12.0 | | 11.0 | | | | | | | | | |
| UL | RAV2-8 (RAA2-8) | | | | | | | | | | | | | |
| UL | RAV2-A8 | 8.4 | 18.0 | | 14.0 | | 27.5 | 32.5 | | | | | | 300 (100×3) |
| UL | RAV2-B8 | | 16.0 | | 16.0 | | 28.5 | 33.5 | | | | | | |
| UL | RAV2-10 | | 14.5 | | 12.3 | | 24.0 | 29.0 | | | | | | 400 (100×4) |
| UL | RAV2-A10 | 10.5 | 18.0 | | 14.0 | | 27.5 | 32.5 | | | | | | |
| UL | RAV2-B10 | | 20.0 | | 18.0 | | 32.5 | 37.5 | | | | | | |
| UL | RAV2-12 | | 17.0 | | 13.9 | | 26.9 | 31.9 | | | | | | 300 (100×3) |
| UL | RAV2-A12 | 13.0 | 22.0 | | 14.0 | | 29.5 | 34.5 | | | | | | |

- 各呼びの印は、JIS規格品、UL登録品、CSA登録品です。()はJIS規格品の呼びを示します。
- CSA登録品としてご使用の際は、注文時にご指示ください。カートンがCSA品用となります。
- 上記寸法表にかぎらず特注品もご相談ください。
- *印はUL適合工具です。
※…表の絶縁被覆のカラーは、あくまで標準色です。ご用意できるカラーはP.20をご参照下さい。

