



◆拡管形

RoHS 指令対応品

規格	呼び		各部の寸法								標準色	適合電線範囲		適合工具	一箱入数	
	ビニル	ナイロン	d ₂	B	φd ₁	F ₁	l ₂	l	L ₁	板厚		撚線mm	AWG			
	BVF0.08-3	—	3.2	5.2		5.9		12.5	17.5		0.8	黄※	0.08	28	DS05N DH-1B	1,000 (100×10)
	BVF0.08-V3.5	—	3.7	5.7	3.2	7.7	9.0	15.0	20.0		0.65	黄※	0.1 } 0.3	26-22	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.3-2	—	2.2	5.2		5.9		12.5	17.5		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.3-3	—	3.2	5.2		5.9		12.5	17.5		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
	BVF0.3-V3.5	—	3.7	5.7	3.2	7.7	9.0	15.0	20.2		0.65	黄※	0.1 } 0.3	26-22	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
	BVF0.3-L3.5	—	3.7	5.7	3.2	6.7	9.0	15.0	20.2		0.65	黄※	0.1 } 0.3	26-22	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.3-3.5	—	4.3	6.6		7.7		15.0	20.2		0.65	黄※	0.1 } 0.3	26-22	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.3-4	—	4.3	6.6		7.7		15.0	20.2		0.65	黄※	0.1 } 0.3	26-22	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.5-2	—	2.2	5.2		5.9		12.5	17.5		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.5-3	—	3.2	5.2		5.9		12.5	17.5		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
	BVF0.5-V3.5	—	3.7	5.7	3.2	7.7	9.0	15.0	20.0		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
	BVF0.5-L3.5	—	3.7	5.7	3.2	6.7	9.0	15.0	20.0		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.5-3.5	—	4.3	6.6		7.7		15.0	20.0		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.5-4	—	4.3	6.6		7.7		15.0	20.0		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF0.5-5	—	5.3	8.0		7.0		15.0	20.0		0.5	黄※	0.3 } 0.5	22-20	*DS05N *DH-1B *DS-A5 PALM-032A	1,000 (100×10)
UL	BVF1.25-M3	BPF1.25-M3	3.2	5.6		5.0		14.2	18.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-3	BPF1.25-3	3.2	6.0		4.4		15.2	19.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
	BVF1.25-V3	BPF1.25-V3	3.2	5.7		6.3		15.6	20.1		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-L3	BPF1.25-L3	3.2	5.9		6.5		15.6	20.1		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-C3.5	BPF1.25-C3.5	3.2	6.0		4.5		12.8	17.3		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-S3.5	BPF1.25-S3.5	3.2	5.7		6.3		13.5	18.0		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-3.5	BPF1.25-3.5	3.7	6.0	4.1 (4.0)	4.4	9.0	14.2	18.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-V3.5	BPF1.25-V3.5	3.7	5.7	4.1 (4.0)	6.3	9.0	15.2	19.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-L3.5	BPF1.25-L3.5	3.7	5.9	4.1 (4.0)	6.5	9.0	15.6	20.1		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-A3.5	BPF1.25-A3.5	3.7	5.9	4.1 (4.0)	6.5	9.0	15.6	20.1		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-S4	BPF1.25-S4	3.7	6.4	4.1 (4.0)	6.8	9.0	15.6	20.1		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-4	BPF1.25-4	4.3	7.0		6.5		16.2	20.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-A4	BPF1.25-A4	4.3	8.3		7.1		16.2	20.7		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-5	BPF1.25-5	5.3	8.0		7.0		16.8	21.3		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF1.25-6	BPF1.25-6	6.4	9.7		7.6		17.0	21.5		0.8	赤※	1.65	20-16	*DS-Hi3 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	500 (100×5)
UL	BVF2-3	BPF2-3	3.2	5.5		4.4		14.2	18.7		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
	BVF2-A3	BPF2-A3	3.2	5.7		6.1		15.7	20.2		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-S3.5	BPF2-S3.5	3.7	6.5		6.5		15.8	20.3		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-3.5	BPF2-3.5	3.7	6.5		6.0		15.8	20.3		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-M4	BPF2-M4	4.3	6.4	4.7 (4.5)	6.7	9.0	15.6	20.1		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-S4	BPF2-S4	4.3	6.6	4.7 (4.5)	8.0	9.0	15.8	20.3		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-4	BPF2-4	4.3	6.9		7.2		16.2	20.7		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-A4	BPF2-A4	4.3	8.3		7.2		16.2	20.7		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-5	BPF2-5	5.3	8.5		8.5		17.2	21.7		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF2-6	BPF2-6	6.4	11.0		9.5		20.2	24.7		0.8	青※	2.63	16-14	*DS-Hi4 *DS-Hi34 *DS-Hi34S *DH-1B *DS-A5 PALM-032A	400 (100×4)
UL	BVF3.5-4	—	4.3	8.0	6.0	7.5	13.5	17.8	26.0		1.0	黄※	2.63 } 4.6	12	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF3.5-5	—	5.3	8.0	6.0	7.5	13.5	17.8	26.0		1.0	黄※	2.63 } 4.6	12	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF5.5-M4	—	4.3	7.1	6.4	7.9	13.5	19.5	26.7		1.0	黄※	2.63 } 6.64	12-10	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF5.5-4	—	4.3	8.5	6.4	7.2	13.5	18.0	25.2		1.0	黄※	2.63 } 6.64	12-10	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF5.5-5	—	5.3	9.0	6.4	8.5	13.5	19.0	26.2		1.0	黄※	2.63 } 6.64	12-10	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF5.5-6	—	6.4	12.5	6.4	10.5	13.5	23.5	30.7		1.0	黄※	2.63 } 6.64	12-10	*DS-Hi5 *DH-1B *DS-A5	300 (100×3)
UL	BVF5.5-8	—	8.4	15.0	6.4	10.5	13.5	24.5	31.7		1.0	黄※	2.63 } 6.64	12-10	*DS-Hi5 *DH-1B *DS-A5	200 (100×2)

1. 各呼びの印は、UL登録品、CSA登録品です。
 2. CSA登録品としてご使用の際は、注文時にご指示ください。カートンがCSA品用となります。
 3. 上記寸法表にかぎらず特注品もご相談ください。()はBPF形の寸法です。
 4. *印はUL適合工具です。
 ※…表の絶縁被覆のカラーは、あくまで標準色です。ご用意できるカラーはP.20をご参照下さい。

絶縁被覆付圧着端子 (BVF形) (BPF形)





